


LAX Metroplex / Wide Area Ad Hoc Committee

LAX Community Noise Roundtable Sept 2021


- 1. North Downwind Arrival Flight Paths
- 2. LAX and Other Airports
- 3. Option B Proposal Response
- 4. LADYJ Departures Proposal
- 5. Monterey Park Noise Issues
- 6. DAHJR Flight Data 24 hours
- 7. DAHJR 0100 to 0500 hours
- 8. GADDO Flight Data 24 hours




1. North Downwind Arrival Flight Paths

Area in **pink** affected by North Downwind Arrival and has been studied more extensively in prior and current initiatives undertaken by the Metroplex Ad Hoc Committee of the LAX Community Noise Roundtable

1. North Downwind Arrival Flight Paths - Merges



1. North Downwind Arrival Flight Paths -- 3 Procedures




RYDRR, HUULL, & IRNMN are the 3 North Downwind Arrival Flight Paths into LAX


FAA | NextGEN



1. North Downwind Arrival Flight Paths - IRNMN



2. LAX and Other Airports



3. Option B Proposal - Update

- A final proposal recommending 32% of current North Downwind flights to be diverted to an existing LAX procedure has been sent to the FAA for review after the RT authorized such in our last meeting
- A preliminary response from the FAA has been received stating that they are analyzing the proposal



North Downwind Option B Proposal

Metroplex Ad Hoc Committee LAX Community Noise Roundtable 1 World Way Los Angeles, CA 90045

4. LADYJ Departures Proposal

- Roundtable representatives from the Woodland Hills area presented a proposal to move the LADYJ departure path back to its historic location
- Based on the thoroughness of research and community outreach, the Ad Hoc Metroplex Committee voted to send on that recommendation for further action by the RT



5. Monterey Park Noise Issues

- The Ad Hoc Metroplex Committee heard concerns and answered questions from roundtable representatives and homeowners in Monterey Park regarding aircraft in final approach to LAX
- While the Ad Hoc committee sympathizes with this community, no serious proposal to address it was put forth, so no additional action was recommended to address this issue at this meeting
- The Option B Proposal sent to the FAA for analysis at our last meeting could reduce low flights over Monterey Park by approximately 31%

ANOMS Gate Penetration - DAHJR

January 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or	tudes	
>6300	552	7.6%					
6000-6299	1636	22.5%					
5700-5999	1958	26.9%	56.9%				
5500-5699	979	13.4%	43.1%				
5000-5499	1423	19.5%					89.9%
4500-4999	522	7.2%					
4000-4499	156	2.1%				99.2%	
3500-3999	50	0.7%					
3000-3499	10	0.1%			100.0%		
2500-2999	1	0.0%					
<2500	0	0.0%		100.0%			
Grand Total	7287	100%					

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

March 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	% of Ops At or Above Altitudes				
>6300	713	8.0%							
6000-6299	2220	24.9%							
5700-5999	2595	29.1%	62.0%						
5500-5699	1113	12.5%	38.0%						
5000-5499	1574	17.7%					92.1%		
4500-4999	524	5.9%							
4000-4499	136	1.5%				99.5%			
3500-3999	33	0.4%							
3000-3499	7	0.1%			100.0%				
2500-2999	1	0.0%							
<2500	0	0.0%		100.0%					
Grand Total	8916	100%							

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

February 1-28, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitude			
>6300	765	9.9%						
6000-6299	1996	25.9%						
5700-5999	2214	28.7%	64.6%					
5500-5699	968	12.6%	35.4%					
5000-5499	1251	16.2%					93.4%	
4500-4999	368	4.8%						
4000-4499	98	1.3%				99.4%		
3500-3999	34	0.4%						
3000-3499	8	0.1%			99.9%			
2500-2999	4	0.1%						
<2500	0	0.0%		100.0%				
Grand Total	7706	100%						

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

April 1-30, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	я	5 of Ops At or a	les	
>6300	679	7.5%					
6000-6299	2368	26.1%					
5700-5999	2677	29.5%	63.1%				
5500-5699	1155	12.7%	36.9%				
5000-5499	1566	17.3%					93.2%
4500-4999	463	5.1%					
4000-4499	120	1.3%				99.6%	
3500-3999	27	0.3%					
3000-3499	6	0.1%			100.0%		
2500-2999	3	0.0%					
<2500	1	0.0%		100.0%			
Grand Total	9065	100%					

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

May 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes				
>6300	660	7.1%							
6000-6299	2381	25.7%							
5700-5999	2669	28.9%	61.7%						
5500-5699	1209	13.1%	38.3%						
5000-5499	1630	17.6%					92.4%		
4500-4999	517	5.6%							
4000-4499	141	1.5%				99.5%			
3500-3999	29	0.3%							
3000-3499	10	0.1%			99.9%				
2500-2999	4	0.0%							
<2500	1	0.0%		100.0%					
Grand Total	9251	100%							

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

July 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	% of Ops At or Above Altitude				
>6300	784	7.9%							
6000-6299	2699	27.3%							
5700-5999	3129	31.6%	66.8%						
5500-5699	1313	13.3%	33.2%						
5000-5499	1508	15.2%					95.4%		
4500-4999	359	3.6%							
4000-4499	75	0.8%				99.7%			
3500-3999	21	0.2%							
3000-3499	4	0.0%			100.0%				
2500-2999	0	0.0%							
<2500	0	0.0%		100.0%					
Grand Total	9892	100%							

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	% of Ops At or Above Altitu			
>6300	642	6.8%						
6000-6299	2759	29.2%						
5700-5999	2985	31.6%	67.6%					
5500-5699	1138	12.1%	32.4%					
5000-5499	1398	14.8%					94.	
4500-4999	420	4.4%						
4000-4499	74	0.8%				99.7%		
3500-3999	14	0.1%						
3000-3499	9	0.1%			100.0%			
2500-2999	1	0.0%						
<2500	0	0.0%		100.0%				
Grand Total	9440	100%						

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

June 1-30, 2019

ANOMS Gate Penetration - DAHJR

ANOMS Gate Penetration - DAHJR

August 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes			
>6300	698	7.1%						
6000-6299	2627	26.9%]					
5700-5999	3108	31.8%	65.8%					
5500-5699	1275	13.0%	34.2%					
5000-5499	1551	15.9%]				94.7%	
4500-4999	417	4.3%						
4000-4499	88	0.9%]			99.8%		
3500-3999	14	0.1%]					
3000-3499	1	0.0%]		100.0%			
2500-2999	0	0.0%	1					
<2500	1	0.0%		100.0%				
Grand Total	9780	100%						

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

Prepared by: LAWA Noise Management

ANOMS Gate Penetration - DAHJR

September 1-30, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or	Ops At or Above Altitude				
>6300	675	7.7%								
6000-6299	2178	25.0%								
5700-5999	2570	29.5%	62.2%							
5500-5699	1129	12.9%	37.8%							
5000-5499	1574	18.0%					93.1%			
4500-4999	465	5.3%								
4000-4499	95	1.1%				99.6%				
3500-3999	29	0.3%								
3000-3499	8	0.1%			100.0%					
2500-2999	1	0.0%								
<2500	0	0.0%		100.0%						
Grand Total	8724	100%								

ANOMS Gate Penetration - DAHJR

October 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitude			
>6300	633	7.0%						
6000-6299	2070	23.0%						
5700-5999	2728	30.3%	60.3%					
5500-5699	1146	12.7%	39.7%					
5000-5499	1729	19.2%					92.3%	
4500-4999	533	5.9%						
4000-4499	125	1.4%	1			99.6%		
3500-3999	29	0.3%						
3000-3499	6	0.1%			100.0%			
2500-2999	1	0.0%						
<2500	0	0.0%		100.0%				
Grand Total	9000	100%						

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

December 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	% of Ops At or Above Altitue			
>6300	584	7.6%						
6000-6299	1752	22.9%						
5700-5999	2288	29.9%	60.5%					
5500-5699	995	13.0%	39.5%					
5000-5499	1325	17.3%					90.99	
4500-4999	509	6.7%						
4000-4499	131	1.7%				99.3%		
3500-3999	39	0.5%						
3000-3499	15	0.2%			100.0%			
2500-2999	2	0.0%						
<2500	1	0.0%		100.0%				
Grand Total	7641	100%						

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

November 1-30, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitude				
>6300	493	6.1%							
6000-6299	1780	22.0%							
5700-5999	2371	29.3%	57.3%						
5500-5699	1102	13.6%	42.7%						
5000-5499	1662	20.5%					91.5%		
4500-4999	512	6.3%							
4000-4499	144	1.8%				99.6%			
3500-3999	26	0.3%							
3000-3499	8	0.1%			100.0%				
2500-2999	1	0.0%							
<2500	0	0.0%		100.0%					
Grand Total	8099	100%							

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

ANOMS Gate Penetration - DAHJR

January 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	tudes		
>6300	664	7.6%					
6000-6299	2141	24.5%					
5700-5999	2550	29.1%	61.2%				
5500-5699	1117	12.8%	38.8%				
5000-5499	1574	18.0%					92.0%
4500-4999	504	5.8%					
4000-4499	148	1.7%				99.4%	
3500-3999	40	0.5%					
3000-3499	8	0.1%			100.0%		
2500-2999	2	0.0%					
<2500	0	0.0%		100.0%			
Grand Total	8748	100%					

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR

March 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or Above Altitudes				
>6300	394	6.0%							
6000-6299	1313	19.9%							
5700-5999	1814	27.6%	53.5%						
5500-5699	848	12.9%	46.5%						
5000-5499	1363	20.7%					87.1%		
4500-4999	549	8.3%							
4000-4499	213	3.2%				98.6%			
3500-3999	58	0.9%							
3000-3499	22	0.3%			99.9%				
2500-2999	6	0.1%							
<2500	3	0.0%		100.0%					
Grand Total	6583	100%							

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

February 1-29, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	W of	Ops At or J		
			Annuaes	76 01	Ops At OF	ADOVE AILI	luues
>6300	447	5.9%					
6000-6299	1535	20.2%					
5700-5999	2149	28.3%	54.4%				
5500-5699	1009	13.3%	45.6%				
5000-5499	1632	21.5%					89.2
4500-4999	580	7.6%					
4000-4499	173	2.3%				99.1%	
3500-3999	54	0.7%					
3000-3499	11	0.1%			100.0%		
2500-2999	3	0.0%					
<2500	0	0.0%		100.0%			
Grand Total	7593	100%			-		

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR April 1-30, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% c	f Ops At or	Above Altiti	udes
>6300	140	6.2%					
6000-6299	545	24.2%					
5700-5999	527	23.4%	53.8%				
5500-5699	289	12.8%	46.2%				
5000-5499	454	20.2%					86.8%
4500-4999	169	7.5%					
4000-4499	79	3.5%				97.8%	
3500-3999	34	1.5%					
3000-3499	11	0.5%			99.8%		
2500-2999	4	0.2%					
<2500		0.0%		100.0%			
Grand Total	2252	100%					

*Data source: LAX ANOMS

ANOMS Gate Penetration - DAHJR May 1-31, 2020

Altitude MSL (ft)	Count of Ops*		% of Ops Between Altitudes	% of Ops At or Above Altitudes					
>6300	212	7.7%							
6000-6299	740	26.9%	1						
5700-5999	657	23.9%	58.5%						
5500-5699	335	12.2%	41.5%						
5000-5499	527	19.2%					89.8%		
4500-4999	200	7.3%							
4000-4499	59	2.1%				99.2%			
3500-3999	12	0.4%							
3000-3499	8	0.3%			100.0%				
2500-2999	1	0.0%							
<2500	0	0.0%		100.0%					
Grand Total	2751	100%							

ANOMS Gate Penetration - DAHJR

July 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% c	% of Ops At or Above Altitud				
>6300	306	7.7%							
6000-6299	1096	27.5%							
5700-5999	1132	28.4%	63.5%						
5500-5699	502	12.6%	36.5%						
5000-5499	680	17.0%					93.2%		
4500-4999	205	5.1%							
4000-4499	51	1.3%				99.6%			
3500-3999	14	0.4%							
3000-3499	3	0.1%			100.0%				
2500-2999	0	0.0%							
<2500		0.0%		100.0%					
Grand Total	3989	100%							

ANOMS Gate Penetration - DAHJR June 1-30, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or .	Above Altitı	ıdes
>6300	244	7.7%					
6000-6299	775	24.5%					
5700-5999	845	26.7%	58.8%				
5500-5699	400	12.6%	41.2%				
5000-5499	595	18.8%					90.2%
4500-4999	214	6.8%					
4000-4499	76	2.4%				99.4%	
3500-3999	17	0.5%					
3000-3499	1	0.0%			100.0%		
2500-2999	1	0.0%					
<2500		0.0%		100.0%			
Grand Total	3168	100%					

ANOMS Gate Penetration - DAHJR

August 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or a	Above Altit	udes
>6300	275	6.5%					
6000-6299	1048	24.6%					
5700-5999	1245	29.2%	60.2%				
5500-5699	567	13.3%	39.8%				
5000-5499	828	19.4%					93.0%
4500-4999	220	5.2%					
4000-4499	56	1.3%				99.4%	
3500-3999	19	0.4%					
3000-3499	5	0.1%			100.0%		
2500-2999	0	0.0%					
<2500		0.0%		100.0%			
Grand Total	4263	100%					

15

ANOMS Gate Penetration - DAHJR September 1-30, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% c	of Ops At or Above Altitudes				
>6300	222	5.2%							
6000-6299	974	23.0%	1						
5700-5999	1141	27.0%	55.2%						
5500-5699	564	13.3%	44.8%						
5000-5499	907	21.4%					90.0%		
4500-4999	305	7.2%	1						
4000-4499	86	2.0%	1			99.2%			
3500-3999	28	0.7%	1						
3000-3499	5	0.1%			100.0%				
2500-2999	1	0.0%							
<2500	0	0.0%		100.0%					
Grand Total	4233	100%							
Prepared by: LAWA Noise	e Management								
*Data source: LAX ANON	15								

ANOMS Gate Penetration - DAHJR October 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or	Above Altitu	itudes	
>6300	282	6.1%						
6000-6299	1104	23.7%						
5700-5999	1305	28.0%	57.8%					
5500-5699	583	12.5%	42.2%					
5000-5499	885	19.0%					89.4%	
4500-4999	365	7.8%						
4000-4499	86	1.8%				99.1%		
3500-3999	28	0.6%						
3000-3499	10	0.2%			99.9%			
2500-2999	4	0.1%						
<2500	1	0.0%		100.0%				
Grand Total	4653	100%						
Prepared by: LAWA Noise	e Maillegement		-					
*Data source: LAX ANON	//S							

ANOMS Gate Penetration - DAHJR

November 1-30, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or	udes	
>6300	353	7.5%					
6000-6299	969	20.5%					
5700-5999	1232	26.1%	54.1%				
5500-5699	660	14.0%	45.9%				
5000-5499	977	20.7%					88.8%
4500-4999	363	7.7%					
4000-4499	124	2.6%				99.1%	
3500-3999	30	0.6%					
3000-3499	10	0.2%			99.9%		
2500-2999	3	0.1%					
<2500	0	0.0%		100.0%			
Grand Total	4721	100%					
Prepared by: LAWA Nois	e Mangement		1				
*Data source: LAX ANON	AS						

ANOMS Gate Penetration - DAHJR December 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% c	of Ops At or	Above Altitu	ıdes
>6300	235	5.1%					
6000-6299	797	17.4%	1				
5700-5999	1134	24.8%	47.4%				
5500-5699	610	13.3%	52.6%				
5000-5499	1081	23.6%					84.4%
4500-4999	496	10.8%					
4000-4499	160	3.5%				98.7%	
3500-3999	35	0.8%					
3000-3499	20	0.4%			99.9%		
2500-2999	4	0.1%					
<2500	0	0.0%		100.0%			
Grand Total	4572	100%					

ANOMS Gate Penetration - DAHJR January 1-31, 2021

224 799	5.4%		% of Ops At or Above Altitudes				
799							
	19.1%						
1073	25.6%	50.1%					
615	14.7%	49.9%					
924	22.1%					86.8%	
360	8.6%						
114	2.7%				98.2%		
45	1.1%						
25	0.6%			99.8%			
6	0.1%						
1	0.0%		100.0%				
4186	100%					-	
	615 924 360 114 45 25 6 1	615 14.7% 924 22.1% 360 8.6% 114 2.7% 45 1.1% 25 0.6% 6 0.1% 1 0.0% 4186 100%	615 14.7% 49.9% 924 22.1% 360 8.6% 114 2.7% 45 1.1% 25 0.6% 6 0.1% 1 0.0% 4186 100%	615 14.7% 49.9% 924 22.1% 360 8.6% 114 2.7% 45 1.1% 25 0.6% 6 0.1% 1 0.0% 100.0% 100.0%	615 14.7% 49.9% 924 22.1% 360 8.6% 114 2.7% 45 1.1% 25 0.6% 99.8% 99.8% 6 0.1% 100.0% 100.0%	615 14.7% 49.9% 924 22.1% 360 8.6% 1114 2.7% 45 1.1% 25 0.6% 6 0.1% 1 0.0% 4186 100%	

ANOMS Gate Penetration - DAHJR February 1-28, 2021

6.2% 18.9% 27.0% 13.6% 22.5% 8.0% 2.8% 0.7%	52.1% 47.9%			99.0%	88.2%
27.0% 13.6% 22.5% 8.0% 2.8%		-		99.0%	88.2%
13.6% 22.5% 8.0% 2.8%				99.0%	88.2%
22.5% 8.0% 2.8%	47.9%			99.0%	88.2%
8.0% 2.8%				99.0%	88.2%
2.8%				99.0%	
COLDCOURS D.				99.0%	
0.7%					
0.770					
0.2%			99.9%		
0.0%					
0.0%		100.0%			
100%			-		
	0.0%	0.0%	0.0% 0.0% 100.0%	0.0% 0.0% 100.0%	0.0% 0.0% 100.0%

ANOMS Gate Penetration - DAHJR April 1-30, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	% of Ops At or Above Altitudes				
>6300	305	6.5%							
6000-6299	1062	22.5%							
5700-5999	1209	25.6%	54.5%						
5500-5699	652	13.8%	45.5%						
5000-5499	1044	22.1%					90.4%		
4500-4999	335	7.1%							
4000-4499	90	1.9%				99.4%			
3500-3999	25	0.5%					·		
3000-3499	4	0.1%			100.0%				
2500-2999	1	0.0%							
<2500	0	0.0%		100.0%					
Grand Total	4727	100%							

ANOMS Gate Penetration - DAHJR March 1-31, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	% of Ops At or Above Altitudes				
>6300	249	5.8%							
6000-6299	865	20.0%							
5700-5999	1129	26.1%	51.9%						
5500-5699	564	13.0%	48.1%						
5000-5499	982	22.7%					87.7%		
4500-4999	376	8.7%							
4000-4499	114	2.6%				99.0%			
3500-3999	34	0.8%							
3000-3499	5	0.1%			99.9%				
2500-2999	4	0.1%							
<2500	0	0.0%		100.0%					
Grand Total	4322	100%							

ANOMS Gate Penetration - DAHJR

Jun 1-30, 2021

ANOMS Gate Penetration - DAHJR May 1-31, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of Ops At or Above Altitudes				
>6300	289	5.0%						
6000-6299	1126	19.6%						
5700-5999	1624	28.3%	53.0%					
5500-5699	867	15.1%	47.0%					
5000-5499	1271	22.2%					90.2%	
4500-4999	427	7.4%						
4000-4499	99	1.7%				99.4%		
3500-3999	25	0.4%						
3000-3499	5	0.1%			99.9%			
2500-2999	3	0.1%						
<2500	1	0.0%		100.0%				
Grand Total	5737	100%						
Prepared by: LAWA Noise	e Management							
*Data source: LAX ANON	15							

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of Ops At or Above Altitudes				
>6300	419	6.4%						
6000-6299	1498	22.9%						
5700-5999	1918	29.3%	58.6%					
5500-5699	963	14.7%	41.4%					
5000-5499	1292	19.8%					93.1%	
4500-4999	348	5.3%						
4000-4499	76	1.2%				99.6%		
3500-3999	15	0.2%					·	
3000-3499	7	0.1%			100.0%			
2500-2999	2	0.0%						
<2500	1	0.0%		100.0%				
Grand Total	6539	100%						
Prepared by: LAWA Noise	e Management							
*Data source: LAX ANON	//S							

buta source. Excentions

ANOMS Gate Penetration - DAHJR

July 1-31, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or Above Altitudes				
>6300	388	5.5%							
6000-6299	1561	21.9%							
5700-5999	2114	29.7%	57.1%						
5500-5699	1037	14.6%	42.9%						
5000-5499	1466	20.6%					92.2%		
4500-4999	415	5.8%							
4000-4499	109	1.5%				99.6%			
3500-3999	19	0.3%							
3000-3499	7	0.1%			100.0%				
2500-2999	2	0.0%							
<2500		0.0%		100.0%					
Grand Total	7118	100%							

			Time o	f Night			
	12:00 to	1:00 to	2:00 to	3:00 to	4:00 to	5:00 to	Totals by
Altitude MSL (ft)	12:59 AM	1:59 AM	2:59 AM	3:59 AM	4:59 AM	5:59 AM	Height
>6000	15	5	2	5	14	36	77
5750-6000	18	2	1	7	7	10	45
5500-5749	6	1	1	2	1	7	18
5250-5499	2	1	2	2	0	4	11
5000-5249	5	0	2	2	1	4	14
4750-4999	1	1	0	0	0	0	2
<4750	1	1	0	0	2	2	6
Total of All Flights	48	11	8	18	25	63	173
		1 to 5	Total	1	9		

Oct 2018 19 flights

-			Time o	f Night			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	24	13	11	9	58	72	187
5750-6000	13	4	3	0	9	19	48
5500-5749	6	0	1	1	2	6	16
5250-5499	3	2	1	1	2	8	17
5000-5249	2	1	1	1	1	3	9
4750-4999	3	0	0	0	0	0	3
<4750	6	1	0	0	2	6	15
Total of All Flights	57	21	17	12	74	114	295
		1 to 5	Total	1	.7		

Nov 2018 17 flights

			Time o	f Night			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	27	10	8	6	28	48	127
5750-6000	13	1	2	1	15	32	64
5500-5749	11	1	0	1	7	10	30
5250-5499	6	0	2	0	8	3	19
5000-5249	6	0	1	0	3	4	14
4750-4999	0	0	0	0	1	2	3
<4750	2	0	0	1	0	3	6
Total of All Flights	65	12	13	9	62	102	263
2		1 to 5	Total	2	5		

Dec 2018 25 flights

			Time o	f Night			
	12:00 to	1:00 to	2:00 to	3:00 to	4:00 to	5:00 to	Totals by
Altitude MSL (ft)	12:59 AM	1:59 AM	2:59 AM	3:59 AM	4:59 AM	5:59 AM	Height
>6000	10	6	6	4	3	13	42
5750-6000	6	2	0	0	5	6	19
5500-5749	9	0	1	1	2	3	16
5250-5499	2	0	1	0	3	4	10
5000-5249	2	0	0	1	0	0	3
4750-4999	1	0	0	1	0	1	3
<4750	2	0	0	2	0	1	5
Total of All Flights	32	8	8	9	13	28	98
20	5	1 to 5	Total	1	.2		

Jan 2019 12 flights

	0.		Time o	f Night			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	10	4	3	1	7	9	34
5750-6000	5	0	0	4	1	2	12
5500-5749	3	0	0	0	3	2	8
5250-5499	2	1	0	0	1	0	4
5000-5249	1	0	0	1	0	2	4
4750-4999	24	6	11	2	26	40	109
<4750	1	0	0	0	0	3	4
Total of All Flights	46	11	14	8	38	58	175
	10	1 to 5	Total	5	1		

Feb 2019 51 flights

2		Time of Night							
	12:00 to	1:00 to	2:00 to	3:00 to	4:00 to	5:00 to	Totals by		
Altitude MSL (ft)	12:59 AM	1:59 AM	2:59 AM	3:59 AM	4:59 AM	5:59 AM	Height		
>6000	15	5	2	4	10	11	47		
5750-6000	38	12	2	17	45	52	166		
5500-5749	7	0	0	0	3	0	10		
5250-5499	1	0	1	0	3	5	10		
5000-5249	1	0	0	0	2	3	6		
4750-4999	1	1	0	0	1	0	3		
<4750	2	0	0	0	1	0	3		
Total of All Flights	65	18	5	21	65	71	245		
k		1 to 5	Total	1	2				

Mar 2019 12 flights

		Time of Night							
Altitude MSL (ft)	12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height		
>6000	26	20	10	22	58	56	192		
5750-6000	23	3	2	7	6	25	66		
5500-5749	5	2	0	1	1	3	12		
5250-5499	1	0	0	0	0	1	2		
5000-5249	1	0	0	0	1	2	4		
4750-4999	0	0	0	0	0	0	0		
<4750	2	0	1	0	0	0	3		
Total of All Flights	58	25	13	30	66	87	279		
		1 to 5	Total	(5				

Apr 2019 6 flights

			Time of I	Vight			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	41	10	5	15	47	49	167
5750-6000	17	5	0	1	15	17	55
5500-5749	6	2	0	1	1	2	12
5250-5499	2	0	0	0	1	0	3
5000-5249	6	0	0	0	0	2	8
4750-4999	2	0	0	0	0	1	3
<4750	4	0	0	1	0	0	5
Total of All Flights	78	17	5	18	64	71	253
		1 to 5	Total	(5		

May 2019 6 flights

			Time of I	Night			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	44	5	3	19	63	91	225
5750-6000	21	5	2	5	15	31	79
5500-5749	11	0	0	2	1	3	17
5250-5499	4	0	0	0	0	2	6
5000-5249	4	0	0	1	0	0	5
4750-4999	4	1	0	0	0	1	6
<4750	4	1	0	1	1	1	8
Total of All Flights	92	12	5	28	80	129	346
		1 to 5	Total	1	B		

Jun 2019 8 flights

			Time of I	Night			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	56	8	7	15	39	55	180
5750-6000	29	1	2	3	14	25	74
5500-5749	9	0	1	0	2	1	13
5250-5499	3	0	0	0	0	2	5
5000-5249	3	0	0	0	0	1	4
4750-4999	1	0	0	0	0	0	1
<4750	2	0	0	0	0	0	2
Total of All Flights	103	9	10	18	55	84	279
		1 to 5	Total		3		

Jul 2019 3 flights

			Time of I	Night			
	12:00 to	1:00 to	2:00 to	3:00 to	4:00 to	5:00 to	Totals by
Altitude MSL (ft)	12:59 AM	1:59 AM	2:59 AM	3:59 AM	4:59 AM	5:59 AM	Height
>6000	35	3	13	9	43	61	164
5750-6000	26	4	1	0	15	22	68
5500-5749	9	4	1	0	0	1	15
5250-5499	2	0	0	0	0	2	4
5000-5249	5	0	1	0	0	0	6
4750-4999	2	0	0	0	0	1	3
<4750	1	0	0	0	0	1	2
Total of All Flights	80	11	16	9	58	88	262
		1 to 5	Total	Total 6			

Aug 2019 6 flights

			Time of I	Night			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	27	4	1	0	4	25	61
5750-6000	10	0	0	1	3	11	25
5500-5749	6	0	0	0	1	1	8
5250-5499	5	0	0	0	0	0	5
5000-5249	3	0	0	0	0	1	4
4750-4999	1	0	0	0	0	0	1
<4750	1	0	0	0	0	0	1
Total of All Flights	53	4	1	1	8	38	105
		1 to 5	Total		1		

Sep 2019 1 flight

			Time of I	Vight			
	12:00 to	1:00 to	2:00 to	3:00 to	4:00 to	5:00 to	Totals by
Altitude MSL (ft)	12:59 AM	1:59 AM	2:59 AM	3:59 AM	4:59 AM	5:59 AM	Height
>6000	21	2	2	3	3	24	55
5750-6000	6	0	0	1	0	6	13
5500-5749	6	0	0	0	0	3	9
5250-5499	1	0	0	0	1	0	2
5000-5249	1	0	0	0	0	1	2
4750-4999	0	0	0	0	0	3	3
<4750	3	0	0	0	0	0	3
Total of All Flights	38	2	2	4	4	37	87
		1 to 5 Total 1					

Time of Night Totals by 12:00 to 1:00 to 2:00 to 3:00 to 4:00 to 5:00 to Altitude MSL (ft) 12:59 AM 1:59 AM 2:59 AM 3:59 AM 4:59 AM 5:59 AM Height >6000 5750-6000 5500-5749 5250-5499 5000-5249 4750-4999 <4750 **Total of All Flights** 1 to 5 Total

Nov 2019 4 flights

Oct 2019

1 flight

	Time of Night							
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height	
>60 <mark>0</mark> 0	6	0	0	0	0	0	6	
5750-6000	6	1	0	0	0	0	7	
5500-5749	3	0	0	0	0	0	3	
5250-5499	0	0	0	0	0	0	0	
5000-5249	2	0	0	0	0	0	2	
4750-4999	1	0	0	0	1	0	2	
<4750	0	0	0	0	0	0	0	
Total of All Flights	18	1	0	0	1	0	20	
		1 to 5	Total		1			

Time of Night Totals by 12:00 to 1:00 to 2:00 to 3:00 to 4:00 to 5:00 to Altitude MSL (ft) 12:59 AM 1:59 AM 2:59 AM 3:59 AM 4:59 AM 5:59 AM Height >6000 5750-6000 5500-5749 5250-5499 5000-5249 4750-4999 <4750 **Total of All Flights** 1 to 5 Total

Jan 2020 13 flights

Dec 2019

1 flight

		Time of Night								
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height			
>6000	8	1	0	2	6	33	50			
5750-6000	6	0	3	1	4	7	21			
5500-5749	0	0	0	0	1	5	6			
5250-5499	1	0	1	0	2	1	5			
5000-5249	1	0	0	0	0	2	3			
4750-4999	1	0	0	0	1	2	4			
<4750	0	0	0	1	0	2	3			
Total of All Flights	17	1	4	4	14	52	92			
		1 to 5	Total	(5					

Feb 2020 6 flights

		Time of Night							
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height		
>6000	9	1	0	2	2	12	26		
5750-6000	7	1	0	0	1	5	14		
5500-5749	0	0	2	0	1	2	5		
5250-5499	0	0	0	0	0	2	2		
5000-5249	1	0	0	1	0	0	2		
4750-4999	1	0	1	0	0	0	2		
<4750	1	0	0	0	0	2	3		
Total of All Flights	19	2	3	3	4	23	54		
		1 to 5	Total		5				

Mar 2020 5 flights

		Time of Night							
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height		
>6000	3	0	1	3	6	1	14		
5750-6000	0	1	0	0	1	0	2		
5500-5749	2	0	0	0	2	0	4		
5250-5499	0	0	1	0	0	0	1		
5000-5249	0	1	0	0	0	0	1		
4750-4999	0	0	0	0	0	0	0		
<4750	0	0	0	0	0	0	0		
Total of All Flights	5	2	2	3	9	1	22		
		1 to 5	Total	4	4				

Apr 2020 4 flights

		Time of Night								
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height			
>6000	3	9	5	6	6	4	33			
5750-6000	0	5	1	1	1	0	8			
5500-5749	0	0	0	0	2	3	5			
5250-5499	0	1	1	1	0	0	3			
5000-5249	0	1	0	0	0	0	1			
4750-4999	0	0	0	0	0	0	0			
<4750	0	1	0	0	0	0	1			
Total of All Flights	3	17	7	8	9	7	51			
<u> </u>	1	1 to 5	Total		7					

May 2020 7 flights

		Time of Night								
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height			
>6000	1	0	0	0	0	3	4			
5750-6000	2	0	0	0	0	0	2			
5500-5749	2	0	0	0	0	0	2			
5250-5499	0	0	0	0	0	1	1			
5000-5249	0	0	0	0	0	0	0			
4750-4999	0	0	0	0	0	0	0			
<4750	0	0	0	0	0	0	0			
Total of All Flights	5	0	0	0	0	4	9			
	•	1 to 5	Total	(Ď					

Jun 2020 0 flights

		Time of Night								
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height			
>6000	7	3	3	6	4	14	37			
5750-6000	2	2	2	1	4	2	13			
5500-5749	2	0	1	2	1	0	6			
5250-5499	0	0	0	0	0	0	0			
5000-5249	0	0	0	2	1	0	3			
4750-4999	0	0	1	1	0	1	3			
<4750	0	0	0	0	0	0	0			
Total of All Flights	11	5	7	12	10	17	62			
		1 to 5 Total 9								

Jul 2020 9 flights

		Time of Night								
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height			
>6000	2	0	4	6	5	11	28			
5750-6000	1	0	0	0	5	3	9			
5500-5749	2	1	0	0	0	0	3			
5250-5499	0	1	0	0	0	2	3			
5000-5249	0	0	0	0	0	0	0			
4750-4999	0	0	0	0	0	0	0			
<4750	0	0	0	0	0	0	0			
Total of All Flights	5	2	4	6	10	16	43			
		1 to 5	Total		2					

Aug 2020 2 flights

			Time of N	light					
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height		
>6000	2	2	7	8	10	21	50		
5750-6000	2	1	4	0	2	5	14		
5500-5749	1	1	0	0	0	0	2		
5250-5499	0	0	0	0	0	0	0		
5000-5249	1	0	0	0	0	1	2		
4750-4999	0	0	0	0	0	0	0		
<4750	0	0	0	0	0	0	0		
Total of All Flights	6	4	11	8	12	27	68		
		1 to 5 Total 1							

Sep 2020 2 flights

			Time of N	light			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	7	3	2	7	9	37	65
5750-6000	1	3	0	5	2	7	18
5500-5749	0	1	2	0	0	2	5
5250-5499	0	0	0	1	0	2	3
5000-5249	0	0	0	0	0	3	3
4750-4999	0	0	1	1	0	1	3
<4750	0	0	0	0	0	2	2
Total of All Flights	8	7	5	14	11	54	99
		1 to 5	Total		6		

Oct 2020 6 flights

			Time of N	light			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	9	6	8	2	14	26	65
5750-6000	0	0	2	0	7	11	20
5500-5749	2	1	3	1	3	3	13
5250-5499	2	0	0	0	1	3	6
5000-5249	0	0	0	1	0	0	1
4750-4999	0	0	0	0	0	1	1
<4750	0	0	0	0	0	0	0
Total of All Flights	13	7	13	4	25	44	106
		1 to 5	Total	1	0		

Nov 2020 10 flights

		Time of Night								
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height			
>6000	1	7	2	4	9	12	35			
5750-6000	1	1	0	0	1	5	8			
5500-5749	4	1	0	0	0	1	6			
5250-5499	0	0	0	0	0	4	4			
5000-5249	0	0	0	0	0	0	0			
4750-4999	0	0	0	0	0	0	0			
<4750	0	0	0	0	0	0	0			
Total of All Flights	6	9	2	4	10	22	53			
		1 to 5 Total 1								

Dec 2020 1 flight

		Time of Night								
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height			
>6000	1	1	0	1	7	13	23			
5750-6000	2	0	0	0	3	5	10			
5500-5749	1	0	0	0	0	0	1			
5250-5499	1	0	0	0	1	1	3			
5000-5249	1	0	0	0	0	0	1			
4750-4999	1	0	0	0	0	0	1			
<4750	0	0	0	0	0	0	0			
Total of All Flights	7	1	0	1	11	19	39			
		1 to 5	5 Total	:	l		•			

Jan 2021 1 flight

			Time of N	light			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	2	1	2	1	2	20	28
5750-6000	1	1	0	1	0	6	9
5500-5749	2	0	0	0	5	3	10
5250-5499	1	0	3	1	2	3	10
5000-5249	0	0	1	1	1	2	5
4750-4999	0	0	0	0	0	0	0
<4750	0	0	0	0	0	2	2
Total of All Flights	6	2	6	4	10	36	64
		1 to 5	Total	1	4		

Feb 2021 14 flights

		Time of Night								
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height			
>6000	4	2	6	2	7	22	43			
5750-6000	3	0	0	1	4	7	15			
5500-5749	1	1	0	0	0	1	3			
5250-5499	1	0	0	0	0	1	2			
5000-5249	0	0	0	0	0	1	1			
4750-4999	0	0	0	0	0	0	0			
<4750	0	0	1	0	0	0	1			
Total of All Flights	9	3	7	3	11	32	65			
		1 to 5 Total 2								

Mar 2021 2 flights

		Time of Night							
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height		
>6000	0	5	10	3	14	25	57		
5750-6000	1	4	2	2	1	7	17		
5500-5749	0	0	0	1	0	1	2		
5250-5499	0	0	0	0	0	1	1		
5000-5249	0	0	0	0	0	0	0		
4750-4999	0	0	0	0	0	0	0		
<4750	0	0	1	0	0	0	1		
Total of All Flights	1	9	13	6	15	34	78		
		1 to 5 Total 2							

Apr 2021 2 flights

			Time of N	Night	1		
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	5	1	0	1	0	3	10
5750-6000	2	1	0	0	0	1	4
5500-5749	2	1	0	0	0	0	3
5250-5499	0	0	0	0	0	0	0
5000-5249	2	0	0	0	0	0	2
4750-4999	1	0	0	0	0	0	1
<4750	1	0	0	0	0	0	1
Total of All Flights	13	3	0	1	0	4	21
		1 to 5	Total		1		

May 2021 1 flight

			Time of N	light			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	10	3	10	7	8	16	54
5750-6000	4	0	0	0	4	7	15
5500-5749	1	2	2	0	1	2	8
5250-5499	2	0	0	0	0	2	4
5000-5249	1	0	1	0	0	0	2
4750-4999	0	0	0	1	0	0	1
<4750	0	0	0	0	0	1	1
Total of All Flights	18	5	13	8	13	28	85
		1 to 5	Total		7		

Jun 2021 7 flights

			Time of N	light			
Altitude MSL (ft)	12:00 to 12:59 AM	1:00 to 1:59 AM	2:00 to 2:59 AM	3:00 to 3:59 AM	4:00 to 4:59 AM	5:00 to 5:59 AM	Totals by Height
>6000	6	2	7	6	4	15	40
5750-6000	1	2	1	1	1	2	8
5500-5749	1	1	0	0	1	3	6
5250-5499	0	0	0	0	1	2	3
5000-5249	0	0	0	0	0	0	0
4750-4999	1	0	0	0	0	0	1
<4750	1	0	0	0	0	0	1
Total of All Flights	10	5	8	7	7	22	59
	·	1 to 5	Total	:	3		•

Jul 2021 3 flights

ANOMS Gate Penetration - GADDO

September 1-30, 2018

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes			
>6300	55	1%						
6000-6299	227	2%						
5700-5999	526	6%	8.5%					
5500-5699	462	5%	91.5%					
5000-5499	2454	26%					39.2%	
4500-4999	2841	30%						
4000-4499	1784	19%	-			88.0%		
3500-3999	790	8%						
3000-3499	264	3%	-		99.1%			
2500-2999	84	1%						
<2500	5	0%		100.0%				
Grand Total	9492	100%						

ANOMS Gate Penetration - GADDO

October 1-31, 2018

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	f Ops At or Above Altitudes			
>6300	47	0.5%						
6000-6299	151	1.6%						
5700-5999	448	4.9%	7.0%					
5500-5699	389	4.2%	93.0%					
5000-5499	2166	23.5%					34.8%	
4500-4999	2633	28.6%						
4000-4499	1888	20.5%				83.9%		
3500-3999	948	10.3%						
3000-3499	419	4.6%			98.8%			
2500-2999	107	1.2%						
<2500	5	0.1%		100.0%				
Grand Total	9201	100%						

ANOMS Gate Penetration - GADDO

December 1-31, 2018

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or	Above Altit	udes
>6300	43	0.5%					
6000-6299	163	1.9%					
5700-5999	438	5.1%	7.6%				
5500-5699	415	4.9%	92.4%				
5000-5499	1937	22.8%					35.2
4500-4999	2380	28.0%					
4000-4499	1696	19.9%				83.1%	
3500-3999	907	10.7%					
3000-3499	408	4.8%			98.5%		
2500-2999	121	1.4%					
<2500	6	0.1%		100.0%			
Grand Total	8514	100%					

ANOMS Gate Penetration - GADDO

November 1-30, 2018

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or	Ops At or Above Altitudes			
>6300	67	0.8%							
6000-6299	184	2.1%							
5700-5999	459	5.2%	8.0%						
5500-5699	372	4.2%	92.0%						
5000-5499	2053	23.1%					35.3%		
4500-4999	2581	29.1%							
4000-4499	1744	19.7%				84.1%			
3500-3999	907	10.2%							
3000-3499	359	4.0%			98.4%				
2500-2999	142	1.6%							
<2500	4	0.0%		100.0%					
Grand Total	8872	100%							

ANOMS Gate Penetration - GADDO

January 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes			
>6300	41	0.6%						
6000-6299	120	1.6%						
5700-5999	335	4.6%	6.8%					
5500-5699	320	4.4%	93.2%					
5000-5499	1572	21.6%					32.8%	
4500-4999	1992	27.4%						
4000-4499	1577	21.7%				81.9%		
3500-3999	799	11.0%						
3000-3499	375	5.2%			98.0%			
2500-2999	138	1.9%						
<2500	5	0.1%		100.0%				
Grand Total	7274	100%						

ANOMS Gate Penetration - GADDO

February 1-28, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes			
>6300	66	0.9%						
6000-6299	156	2.0%						
5700-5999	437	5.7%	8.6%					
5500-5699	440	5.7%	91.4%					
5000-5499	1984	25.8%					40.1%	
4500-4999	2145	27.9%						
4000-4499	1387	18.0%	-			86.0%		
3500-3999	676	8.8%						
3000-3499	314	4.1%			98.8%			
2500-2999	83	1.1%						
<2500	7	0.1%		100.0%				
Grand Total	7695	100%						

ANOMS Gate Penetration - GADDO

March 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes			
>6300	52	0.6%						
6000-6299	154	1.7%						
5700-5999	397	4.5%	6.8%					
5500-5699	413	4.6%	93.2%					
5000-5499	2259	25.4%					36.8%	
4500-4999	2531	28.4%						
4000-4499	1739	19.5%				84.7%		
3500-3999	873	9.8%						
3000-3499	375	4.2%			98.7%			
2500-2999	107	1.2%						
<2500	7	0.1%		100.0%				
Grand Total	8907	100%						

ANOMS Gate Penetration - GADDO

April 1-30, 2019

			% of Ops Between Altitudes	9	6 of Ops At or	Above Altitud	les
Altitude MSL (ft)	Count of Ops*	% of Ops					
>6300	50	0.6%					
6000-6299	162	1.8%					
5700-5999	490	5.4%	7.8%				
5500-5699	435	4.8%	92.2%				
5000-5499	2357	26.0%					38.6%
4500-4999	2629	29.0%					
4000-4499	1686	18.6%				86.2%	
3500-3999	778	8.6%					
3000-3499	358	4.0%			98.8%		
2500-2999	108	1.2%					
<2500	3	0.0%		100.0%			
Grand Total	9056	100%					

ANOMS Gate Penetration - GADDO

May 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes				
>6300	52	0.6%							
6000-6299	162	1.8%							
5700-5999	477	5.2%	7.5%						
5500-5699	463	5.0%	92.5%						
5000-5499	2306	25.0%					37.4%		
4500-4999	2752	29.8%							
4000-4499	1703	18.4%				85.7%			
3500-3999	820	8.9%							
3000-3499	350	3.8%			98.3%				
2500-2999	143	1.5%							
<2500	11	0.1%		100.0%					
Grand Total	9239	100%							

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO

July 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	of Ops At or Above Altitud			
>6300	43	0.4%						
6000-6299	159	1.6%						
5700-5999	536	5.4%	7.5%					
5500-5699	511	5.2%	92.5%					
5000-5499	2886	29.2%					41.8%	
4500-4999	3051	30.8%						
4000-4499	1741	17.6%				90.3%		
3500-3999	678	6.9%						
3000-3499	231	2.3%			99.4%			
2500-2999	55	0.6%						
<2500	0	0.0%		100.0%				
Grand Total	9891	100%						

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO June 1-30, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	of Ops At or Above Altitudes			
>6300	41	0.4%						
6000-6299	186	2.0%						
5700-5999	522	5.5%	7.9%					
5500-5699	457	4.8%	92.1%					
5000-5499	2734	29.0%					41.8	
4500-4999	2832	30.0%						
4000-4499	1651	17.5%				89.3%		
3500-3999	698	7.4%						
3000-3499	238	2.5%			99.2%			
2500-2999	73	0.8%						
<2500	5	0.1%		100.0%				
Grand Total	9437	100%						

ANOMS Gate Penetration - GADDO

August 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes				
>6300	37	0.4%							
6000-6299	154	1.6%							
5700-5999	471	4.8%	6.8%						
5500-5699	472	4.8%	93.2%						
5000-5499	2731	27.9%					39.5%		
4500-4999	3086	31.6%							
4000-4499	1782	18.2%				89.4%			
3500-3999	737	7.5%							
3000-3499	252	2.6%			99.5%				
2500-2999	49	0.5%							
<2500	2	0.0%		100.0%					
Grand Total	9773	100%							

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO

September 1-30, 2019

Prepared by: LAWA Noise Management *Data source: LAX ANOMS

November 1-30, 2019

ANOMS Gate Penetration - GADDO

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or	tudes	
>6300	44	0.5%					
6000-6299	156	1.8%]				
5700-5999	461	5.3%	7.6%				
5500-5699	466	5.3%	92.4%				
5000-5499	2232	25.6%					38.5%
4500-4999	2507	28.8%					
4000-4499	1682	19.3%				86.6%	
3500-3999	781	9.0%					
3000-3499	310	3.6%	1		99.1%		
2500-2999	74	0.8%					
<2500	7	0.1%		100.0%			
Grand Total	8720	100%					

ANOMS Gate Penetration - GADDO October 1-31, 2019


Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes				
>6300	49	0.5%							
6000-6299	125	1.4%							
5700-5999	438	4.9%	6.8%						
5500-5699	370	4.1%	93.2%						
5000-5499	2041	22.7%					33.6%		
4500-4999	2635	29.3%							
4000-4499	1881	20.9%	1			83.8%			
3500-3999	917	10.2%	1						
3000-3499	435	4.8%			98.9%				
2500-2999	96	1.1%							
<2500	7	0.1%		100.0%					
Grand Total	8994	100%							

*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO

December 1-31, 2019

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of	Ops At or Above Altitudes					
>6300	27	0.3%								
6000-6299	120	1.5%								
5700-5999	350	4.3%	6.1%							
5500-5699	308	3.8%	93.9%							
5000-5499	1759	21.7%					31.7%			
4500-4999	2394	29.6%								
4000-4499	1721	21.3%	1			82.5%				
3500-3999	919	11.4%								
3000-3499	394	4.9%			98.7%					
2500-2999	98	1.2%								
<2500	5	0.1%		100.0%						
Grand Total	8095	100%								



Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO

January 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	<mark>% of</mark>	Ops At or	Above Alti	tudes
>6300	50	0.6%					
6000-6299	133	1.5%					
5700-5999	396	4.5%	6.6%				
5500-5699	399	4.6%	93.4%				
5000-5499	2124	24.3%					35.5%
4500-4999	2482	28.4%					
4000-4499	1771	20.3%				84.1%	
3500-3999	874	10.0%					
3000-3499	385	4.4%			98.5%		
2500-2999	121	1.4%					
<2500	8	0.1%		100.0%			
Grand Total	8743	100%					

Prepared by: LAWA Noise Management *Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO March 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	of Ops At or Above Altitudes				
>6300	18	0.3%							
6000-6299	86	1.3%	1						
5700-5999	235	3.6%	5.2%						
5500-5699	224	3.4%	94.8%						
5000-5499	1261	19.2%	1				27.8%		
4500-4999	1699	25.9%							
4000-4499	1439	21.9%				75.5%			
3500-3999	873	13.3%							
3000-3499	534	8.1%			96.9%				
2500-2999	180	2.7%							
<2500	22	0.3%		100.0%					
Grand Total	6571	100%							

Prepared by: LAWA Noise Management

*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO February 1-29, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of (Ops At or Above Altitudes				
>6300	35	0.5%							
6000-6299	88	1.2%	1						
5700-5999	287	3.8%	5.4%						
5500-5699	276	3.6%	94.6%						
5000-5499	1546	20.3%					29.4%		
4500-4999	2175	28.6%							
4000-4499	1678	22.1%				80.0%			
3500-3999	936	12.3%							
3000-3499	441	5.8%			98.1%				
2500-2999	132	1.7%							
<2500	10	0.1%		100.0%					
Grand Total	7604	100%							

*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO April 1-30, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	% of Ops At or Above Altitudes				
>6300	13	0.6%							
6000-6299	37	1.7%							
5700-5999	116	5.2%	7.4%						
5500-5699	98	4.4%	92.6%						
5000-5499	492	22.0%					33.8%		
4500-4999	512	22.9%							
4000-4499	462	20.6%				77.3%			
3500-3999	279	12.5%							
3000-3499	152	6.8%			96.5%				
2500-2999	67	3.0%							
<2500		0.5%		100.0%					
Grand Total	2239	100%							

ANOMS Gate Penetration - GADDO May 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% a	% of Ops At or Above Altitudes				
>6300	24	0.9%							
6000-6299	56	2.0%	1						
5700-5999	137	5.0%	7.9%						
5500-5699	145	5.3%	92.1%						
5000-5499	687	25.1%					38.3%		
4500-4999	656	23.9%							
4000-4499	548	20.0%				82.2%			
3500-3999	309	11.3%							
3000-3499	138	5.0%			98.5%				
2500-2999	39	1.4%							
<2500	3	0.1%		100.0%					
Grand Total	2742	100%							


*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO

July 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% of Ops At or Above Altitudes				
>6300	31	0.8%						
6000-6299	84	2.1%	1					
5700-5999	226	5.7%	8.6%					
5500-5699	199	5.0%	91.4%					
5000-5499	1065	26.7%					40.3%	
4500-4999	1092	27.4%						
4000-4499	733	18.4%				86.1%		
3500-3999	355	8.9%						
3000-3499	151	3.8%			98.8%			
2500-2999	43	1.1%						
<2500	3	0.1%		100.0%				
Grand Total	3982	100%						
Prepared by: LAWA Noise	e Management							
*Data source: LAX ANON	15							

ANOMS Gate Penetration - GADDO June 1-30, 2020



*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO August 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	% of Ops At or Above Altitudes					
>6300	37	0.9%								
6000-6299	86	2.0%	1							
5700-5999	195	4.6%	7.5%							
5500-5699	157	3.7%	92.5%	l l						
5000-5499	997	23.4%					34.6%			
4500-4999	1208	28.4%								
4000-4499	896	21.0%				84.0%				
3500-3999	454	10.7%								
3000-3499	180	4.2%			98.8%					
2500-2999	44	1.0%								
<2500	5	0.1%		100.0%						
Grand Total	4259	100%								
Prepared by: LAWA Noise	e Management		-							

ANOMS Gate Penetration - GADDO September 1-30, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	% of Ops At or Above Altitudes				
>6300	13	0.3%							
6000-6299	65	1.5%							
5700-5999	175	4.1%	6.0%						
5500-5699	165	3.9%	94.0%						
5000-5499	839	19.8%					29.7%		
4500-4999	1113	26.3%							
4000-4499	1001	23.7%				79.7%			
3500-3999	509	12.0%							
3000-3499	252	6.0%			97.7%				
2500-2999	87	2.1%							
<2500	9	0.2%		100.0%					
Grand Total	4228	100%							
Prepared by: LAWA Noise I *Data source: LAX ANOMS									

ANOMS Gate Penetration - GADDO October 1-31, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	of Ops At or Above Altitudes			
>6300	24	0.5%						
6000-6299	74	1.6%						
5700-5999	217	4.7%	6.8%					
5500-5699	188	4.1%	93.2%					
5000-5499	1005	21.7%					32.5%	
4500-4999	1238	26.7%						
4000-4499	1006	21.7%				80.8%		
3500-3999	537	11.6%						
3000-3499	250	5.4%			97.8%			
2500-2999	95	2.0%						
<2500	7	0.2%		100.0%				
Grand Total	4641	100%						

ANOMS Gate Penetration - GADDO December 1-31, 2020

>6300	20	% of Ops			f Ops At or Above Altitudes			
C000 C200	20	0.4%						
6000-6299	39	0.9%						
5700-5999	137	3.0%	4.3%					
5500-5699	145	3.2%	95.7%					
5000-5499	734	16.1%					23.6%	
4500-4999	1175	25.8%						
4000-4499	1036	22.7%				72.2%		
3500-3999	731	16.1%						
3000-3499	401	8.8%			97.0%			
2500-2999	130	2.9%						
<2500	6	0.1%		100.0%				
Grand Total	4554	100%						

ANOMS Gate Penetration - GADDO November 1-30, 2020

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or ,	Above Altitı	udes
>6300	42	0.9%					
6000-6299	70	1.5%	1				
5700-5999	183	3.9%	6.3%				
5500-5699	174	3.7%	93.7%				
5000-5499	912	19.4%					29.3%
4500-4999	1241	26.4%					
4000-4499	1102	23.4%				79.1%	
3500-3999	590	12.5%					
3000-3499	288	6.1%			97.7%		
2500-2999	101	2.1%					
<2500	6	0.1%		100.0%			
Grand Total	4709	100%					
Prepared by: LAWA Noise *Data source: LAX ANOM							

ANOMS Gate Penetration - GADDO

January 1-31, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or Above Altitudes				
>6300	16	0.4%							
6000-6299	35	0.8%	1						
5700-5999	140	3.4%	4.6%						
5500-5699	139	3.3%	95.4%						
5000-5499	775	18.6%					26.5%		
4500-4999	1068	25.6%							
4000-4499	1009	24.2%				76.2%			
3500-3999	560	13.4%							
3000-3499	311	7.4%			97.1%				
2500-2999	110	2.6%							
<2500	13	0.3%		100.0%					
Grand Total	4176	100%							
Prepared by: LAWA Noise *Data source: LAX ANOMS									

ANOMS Gate Penetration - GADDO February 1-28, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops Betwee Altitudes % of Ops	% of Ops Between Altitudes	% of Ops At or Above Altitudes					
>6300	24	0.6%							
6000-6299	59	1.4%							
5700-5999	139	3.3%	5.3%						
5500-5699	130	3.1%	94.7%						
5000-5499	777	18.4%					26.8%		
4500-4999	1163	27.6%							
4000-4499	944	22.4%				76.7%			
3500-3999	574	13.6%							
3000-3499	310	7.3%			97.6%				
2500-2999	88	2.1%							
<2500	12	0.3%		100.0%					
Grand Total	4220	100%							

ANOMS Gate Penetration - GADDO April 1-30, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or Above Altitudes			
>6300	25	0.5%						
6000-6299	80	1.7%						
5700-5999	203	4.3%	6.5%					
5500-5699	183	3.9%	93.5%					
5000-5499	963	20.4%					30.8%	
4500-4999	1287	27.3%	-					
4000-4499	1055	22.4%				80.4%		
3500-3999	566	12.0%						
3000-3499	277	5.9%	-		98.3%			
2500-2999	74	1.6%						
<2500		0.1%	-	100.0%				
Grand Total	4719	100%						
Prepared by: LAWA Noise	e Minagement	,	1					
Data source: LAX ANON	15							

ANOMS Gate Penetration - GADDO March 1-31, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	f Ops At or	f Ops At or Above Altitudes			
>6300	19	0.4%							
6000-6299	58	1.3%							
5700-5999	132	3.1%	4.8%						
5500-5699	149	3.5%	95.2%						
5000-5499	841	19.5%					27.8%		
4500-4999	1154	26.7%							
4000-4499	947	21.9%				76.5%			
3500-3999	594	13.8%							
3000-3499	337	7.8%			98.0%				
2500-2999	78	1.8%							
<2500		0.2%		100.0%					
Grand Total	4316	100%							
Prepared by: LAWA Noise *Data source: LAX ANOM			-						

ANOMS Gate Penetration - GADDO

May 1-31, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	of Ops At or Above Altitudes				
>6300	25	0.4%							
6000-6299	85	1.5%							
5700-5999	192	3.4%	5.3%						
5500-5699	167	2.9%	94.7%						
5000-5499	1137	19.8%					28.0%		
4500-4999	1690	29.5%							
4000-4499	1331	23.2%				80.8%			
3500-3999	697	12.2%							
3000-3499	298	5.2%			98.1%				
2500-2999	101	1.8%							
<2500	7	0.1%		100.0%					
Grand Total	5730	100%							

*Data source: LAX ANOMS

ANOMS Gate Penetration - GADDO

July 1-31, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	6 of Ops At or Above Altitudes				
>6300	29	0.4%							
6000-6299	91	1.3%	1						
5700-5999	274	3.8%	5.5%						
5500-5699	258	3.6%	94.5%						
5000-5499	1600	22.5%					31.6%		
4500-4999	2102	29.5%							
4000-4499	1591	22.4%				83.5%			
3500-3999	770	10.8%							
3000-3499	321	4.5%			98.8%				
2500-2999	79	1.1%							
<2500	3	0.0%		100.0%					
Grand Total	7118	100%							
Prepared by: LAWA Noise	Ma. agement		-						
*Data source: LAX ANOM	S								

ANOMS Gate Penetration - GADDO Jun 1-30, 2021

Altitude MSL (ft)	Count of Ops*	% of Ops	% of Ops Between Altitudes	% o	of Ops At or Above Altitudes			
>6300	27	0.4%						
6000-6299	105	1.6%	1					
5700-5999	248	3.8%	5.8%					
5500-5699	277	4.2%	94.2%					
5000-5499	1563	23.9%					33.9%	
4500-4999	1958	29.9%	1					
4000-4499	1400	21.4%	1			85.3%		
3500-3999	644	9.8%	1					
3000-3499	245	3.7%			98.9%			
2500-2999	69	1.1%						
<2500	4	0.1%	1	100.0%				
Grand Total	6540	100%						

44

THANK YOU